



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

1 Identification

- · Product Identifier
- Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant
- · Product Number: 27240
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Use only for the purpose on the product label.
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471

Phone: 713-357-5300 problendsolutions.com

Emergency telephone number: InfoTrac 1-800-535-5053

2 Hazard(s) Identification

· Classification of the substance or mixture:



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- · Label elements:
- · Hazard pictograms:





- · Signal word: Danger
- · Hazard-determining components of labeling:

Tetrasodium ethylenediaminetetraacetate

C12-C14-Alkyl(ethylbenzyl)dimethylammoniun chloride

· Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P260 Do not breathe dusts or mists. Wash thoroughly after handling. P264

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity. · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*3 Health = *3 Fire = 0

REACTIVITY 0

Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:						
CAS: 64-02-8	Tetrasodium ethylenediaminetetraacetate					
RTECS: AH 5075000	√ = y = = aa.ge :, : .e.e,					
CAS: 85409-23-0	C12-C14-Alkyl(ethylbenzyl)dimethylammoniun chloride					
	Skin Corrosion 1B, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312					
CAS: 497-19-8	Sodium carbonate	1-5%				
	◆ Eye Irritation 2A, H319					
CAS: 34398-01-1	Poly(oxy-1,2-ethanediyl), α-undecyl-ω-hydroxy-	≤2.5%				
	♦ Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2B, H320					

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

4 First-Aid Measures

- · Description of first aid measures
- · General information: If symptoms persist, call a physician.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns occur, get medical attention.

· After eye contact:

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

· After swallowing:

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is required.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

000 000	on to tot dioposal information.				
· PAC-1:					
64-02-8	Tetrasodium ethylenediaminetetraacetate	75 mg/m ³			
497-19-8	Sodium carbonate	7.6 mg/m ³			
PAC-2:					
64-02-8	Tetrasodium ethylenediaminetetraacetate	830 mg/m ³			
497-19-8	Sodium carbonate	83 mg/m³			

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

· PAC-3:		
64-02-8	Tetrasodium ethylenediaminetetraacetate	5,000 mg/m ³
497-19-8	Sodium carbonate	500 mg/m ³

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

· Eye protection:



Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Color:
Citrus

· Odor threshold: Not determined.

· pH-value @ 20 °C (68 °F): 11-12

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined.

· Flash point: None

Flammability: Not applicable.
 Auto igniting: Not applicable
 Decomposition temperature: Not determined.

• *Ignition temperature:* Product is not self-igniting.

Danger of explosion:
 Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.Upper: Not determined.Vapor pressure: Not determined.

• **Density @ 20 °C (68 °F):** 1.039 g/cm³ (8.6705 lbs/gal)

Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

VOC content: 0.00 %

(Contd. on page 6)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

• Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Product is stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Exposure to air or moisture over prolonged periods.
- · Incompatible materials: Incompatible with strong acids and bases. Incompatible with oxidizing agents.
- Hazardous decomposition products:

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:						
64-02-8 To	64-02-8 Tetrasodium ethylenediaminetetraacetate					
Oral	LD50 630-1,260 mg/kg (Rat)					
497-19-8	497-19-8 Sodium carbonate					
Oral	LD50	4,090 mg/kg (Rat)				
Inhalative	LC50/96 hours	300 mg/l (Cyprinodon variegatus (minnow))				
34398-01-	34398-01-1 Poly(oxy-1,2-ethanediyl), α-undecyl-ω-hydroxy-					
Oral	LD50	1,400 mg/kg (Rat)				

- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eve:

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

- · Additional toxicological information: Harmful
- · Carcinogenic categories:

· IARC	(Inte	rnat	tional	Ag	ency	foi	Research on Cancer):
	-					-	

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

· Toxicity:

· Aquatic toxicity:

497-19-8 Sodium carbonate

EC50 227 mg/l (Daphnia)

(Contd. on page 7)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable. Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· ADR/ADN

• **Remarks:** > 5 l: 9

· IATA

• Remarks: > 5 I: Class 9

(Contd. on page 8)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:

 No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):

Section 355	5 (extremely hazardous substances):	
None of the	ingredients are listed.	
Section 313	3 (Specific toxic chemical listings):	
None of the	ingredients are listed.	
TSCA (Toxi	ic Substances Control Act):	
64-02-8	Tetrasodium ethylenediaminetetraacetate	ACTIVE
497-19-8	Sodium carbonate	ACTIVE
34398-01-1	Poly(oxy-1,2-ethanediyl), α-undecyl-ω-hydroxy-	ACTIVE
Hazardous	Air Pollutants	
None of the	ingredients are listed.	

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

None of the ingredients are listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

Pennsylvania Right-to-Know List:

None of the ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

- Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

· Hazard pictograms:





· Signal word: Danger

· Hazard-determining components of labeling:

Tetrasodium ethylenediaminetetraacetate

C12-C14-Alkyl(ethylbenzyl)dimethylammoniun chloride

· Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Issue date 09/06/2024 Revised on 09/06/2024

Trade Name: PROBLEND™ GALAXY Dispensing Systems 21 Bathroom Disinfectant

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4
Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

· * Data compared to the previous version altered.

SDS created by MSDS Authoring Services +1-877-204-9106 www.msdsauthoring.com