

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

**Product Code** 14481  
**Product Name** LTS Ultra Floor Finish 25

**Other means of identification**

**Recommended use of the chemical and restrictions on use**

Use only for the purpose on the product label.

**Details of the supplier of the safety data sheet**

**Manufacturer / Manufactured For**

Seatex, LLC  
445 TX Hwy 36  
Rosenberg, TX 77471  
Phone: (713) 357-5300

**Emergency telephone number**

**24 Hour Emergency Phone Number:** 1-800-535-5053

**2. HAZARDS IDENTIFICATION**

**Classification**

Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 2

**Label elements**

**Emergency Overview**

**Danger**

**Hazard statements**

Causes serious eye damage  
Suspected of damaging fertility or the unborn child



**Appearance** White

**Physical state** Emulsion

**Odor** Pungent

**Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

**Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

**Precautionary Statements - Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizing agents and alkalis. Keep locked up and out of the reach of children.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC)****Other Information**

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-(2-methoxyethoxy)ethanol	111-77-3	1-5	*
PROPRIETARY	Proprietary	1-5	*
Tributoxyethyl Phosphate	78-51-3	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures****Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see a physician.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If irritation persists, see a physician.

**Inhalation**

Move to fresh air. If irritation persists, see a physician. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.

**Ingestion**

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If irritation persists, see a physician.

**Most important symptoms and effects, both acute and delayed****Symptoms**

May cause irritation of gastrointestinal tract. Defatting of skin. May be irritating to skin and eyes. May cause respiratory irritation.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No Information available.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Contain spill. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Keep away from oxidizing agents and alkalis. Keep locked up and out of reach of children.

**Incompatible materials** Alkali. Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Dioxane 123-91-1	TWA: 20 ppm S*	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 90 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 500 ppm Ceiling: 1 ppm 30 min Ceiling: 3.6 mg/m <sup>3</sup> 30 min

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles.

<b>Skin and body protection</b>	Wear chemical resistant gloves.
<b>Respiratory protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
<b>General Hygiene</b>	Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Emulsion
<b>Appearance</b>	White
<b>Odor</b>	Pungent
<b>Odor threshold</b>	No Information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	8.0 - 9.0	
Specific Gravity	1.0443	
Viscosity	No Information available	Remarks
Melting point/freezing point	No Information available	
Boiling point / boiling range	212 ° F	
Flash point	N/A	
Evaporation rate	N/A	
Flammability (solid, gas)	No Information available	
Upper flammability limit:	N/A	
Lower flammability limit:	N/A	
Vapor pressure	N/A	
Vapor density	N/A	
Water solubility	Complete	
Partition Coefficient (n-octanol/water)	No Information available	
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	

### Other Information

<b>Density Lbs/Gal</b>	No Information available
<b>VOC Content (%)</b>	4.47

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

No special precautions beyond standard safe industrial practices.

### Incompatible materials

Alkali. Strong oxidizing agents.

### Hazardous Decomposition Products

Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	No data available
<b>Inhalation</b>	No data available.
<b>Eye contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin Contact</b>	No data available.
<b>Ingestion</b>	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
PROPRIETARY	> 10000 mg/kg ( Rat )	-	-
2-(2-methoxyethoxy)ethanol 111-77-3	= 4 mL/kg ( Rat )	= 650 mg/kg ( Rabbit ) = 2500 µL/kg ( Rabbit )	-
PROPRIETARY	> 10000 mg/kg ( Rat )	-	-
Tributoxyethyl Phosphate 78-51-3	= 3 g/kg ( Rat )	> 16 mL/kg ( Rabbit )	> 6.4 mg/L ( Rat ) 4 h
Zinc Ammonium Chloride 38714-47-5	= 500 mg/kg ( Rat )	-	-
2,5-furandione, polymer with propene 25722-45-6	= 400 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 4.35 mg/L ( Rat ) 1 h
Ethoxylated Secondary Alcohol 84133-50-6	> 3000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Sodium Lauryl Sulfate 68585-47-7	> 2000 mg/kg ( Rat )	-	-
Nonylphenol Polyethylene Glycol Ether 127087-87-0	= 1310 mg/kg ( Rat ) = 2590 mg/kg ( Rat )	= 2 mL/kg ( Rabbit ) = 1780 µL/kg ( Rabbit )	-
Potassium Hydroxide 1310-58-3	= 284 mg/kg ( Rat )	-	-
Fluoroalkyl substituted polyethylene glycol 65545-80-4	= 13792 mg/kg ( Rat )	-	-
Magnesium Nitrate 10377-60-3	= 5440 mg/kg ( Rat )	-	-
Methyl Chloro Isothiazolinone 26172-55-4	= 481 mg/kg ( Rat ) = 53 mg/kg ( Rat )	-	= 1.23 mg/L ( Rat ) 4 h
Magnesium Chloride 7786-30-3	= 2800 mg/kg ( Rat )	-	-
Methyl Isothiazolinone 2682-20-4	> 2500 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	= 5.71 mg/L ( Rat ) 4 h
Dioxane 123-91-1	= 4200 mg/kg ( Rat ) = 5170 mg/kg ( Rat )	= 7600 mg/kg ( Rabbit )	= 46 mg/L ( Rat ) 2 h

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No Information available.  
**Germ cell mutagenicity** No Information available.  
**Carcinogenicity** No Information available.  
**Reproductive toxicity** No Information available.  
**STOT - single exposure** No Information available.  
**STOT - repeated exposure** No Information available.  
**Aspiration hazard** No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.  
The following values are calculated based on chapter 3.1 of the GHS document .

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

24.38% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-methoxyethoxy)ethanol 111-77-3	500: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	7500: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 7500: 96 h <i>Lepomis macrochirus</i> mg/L LC50 5741: 96 h <i>Pimephales promelas</i> mg/L LC50	500: 48 h <i>Daphnia magna</i> mg/L EC50
Tributoxyethyl Phosphate 78-51-3	-	10.4 - 12.0: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	-
Ethoxylated Secondary Alcohol 84133-50-6	-	3.2: 96 h <i>Pimephales promelas</i> mg/L LC50	3.2: 48 h water flea mg/L EC50
Potassium Hydroxide 1310-58-3	-	80: 96 h <i>Gambusia affinis</i> mg/L LC50 static	-
Methyl Chloro Isothiazolinone 26172-55-4	0.03 - 0.13: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static 0.11 - 0.16: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static 0.31: 120 h <i>Anabaena flos-aquae</i> mg/L EC50	1.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static	0.12 - 0.3: 48 h <i>Daphnia magna</i> mg/L EC50 Flow through 0.71 - 0.99: 48 h <i>Daphnia magna</i> mg/L EC50 Static 4.71: 48 h <i>Daphnia magna</i> mg/L EC50
Magnesium Chloride 7786-30-3	2200: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	1970 - 3880: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4210: 96 h <i>Gambusia affinis</i> mg/L LC50 static	140: 48 h <i>Daphnia magna</i> mg/L EC50 Static 1400: 24 h <i>Daphnia magna</i> mg/L EC50
Dioxane 123-91-1	-	10000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 10000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 semi-static 10306 - 14742: 96 h <i>Pimephales promelas</i> mg/L LC50 static 9850: 96 h <i>Pimephales promelas</i> mg/L LC50 9850: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	163: 48 h water flea mg/L EC50 Static

### Persistence and degradability

No Information available.

### Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
2-(2-methoxyethoxy)ethanol 111-77-3	-0.682
Tributoxyethyl Phosphate 78-51-3	3.65 - 4.78

### Other adverse effects

No Information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated packaging

Do not reuse container.

#### US EPA Waste Number

U108

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dioxane 123-91-1	U108	Included in waste stream: F039		U108

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

**DOT** Not regulated

#### 15. REGULATORY INFORMATION

##### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Does not comply
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Does not comply
<b>KECL</b>	Does not comply
<b>PICCS</b>	Does not comply
<b>AICS</b>	Does not comply

##### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory.  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List.  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

##### US Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
2-(2-methoxyethoxy)ethanol - 111-77-3	1.0
Zinc Ammonium Chloride - 38714-47-5	1.0

##### **SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	No
<b>Chronic Health Hazard</b>	No
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

##### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

##### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

##### US State Regulations

##### **California Proposition 65**

**WARNING:** This product can expose you to chemicals which are known to the state of California to cause cancer or birth defects or other reproductive harm. For More Information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Chemical Name	California Proposition 65
Dioxane - 123-91-1	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-methoxyethoxy)ethanol 111-77-3	X	X	X
Zinc Ammonium Chloride 38714-47-5	X	-	X
Potassium Hydroxide 1310-58-3	X	X	X
Magnesium Nitrate 10377-60-3	X	X	X
Dioxane 123-91-1	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

**HMIS**                      Health hazards 1              Flammability 1              Physical hazards 0              Personal protection X

**Legend**

N/A - Not Applicable

N/E - Not Established

N/D - Not Determined

N/K - Not Known

Issue Date

02-May-2013

Revision Date

25-Oct-2018

Revision Note

SDS sections updated 2 3 4 6 7 9 10 12 13 15

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**