

Issue Date No data available

# SAFETY DATA SHEET

Revision Date 24-Oct-2018 Version 3

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 20460 Product Name Combat

### Other means of identification

# Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

### Details of the supplier of the safety data sheet

### Manufacturer / Manufactured For

Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300

Emergency telephone number

24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

### Classification

| Acute toxicity - Oral                            | Category 4 |
|--|------------|
| Acute toxicity - Inhalation (Dusts/Mists)        | Category 4 |
| Skin corrosion/irritation                        | Category 1 |
| Serious eye damage/eye irritation                | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |

### Label elements

# **Emergency Overview**

# Danger

### Hazard statements

Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause respiratory irritation



Appearance Yellow

Physical state Dust

**Odor** No Information available

# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective

clothing/eye protection/face protection.

#### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water. Call a POISON CENTER or doctor/physician if you feel unwell.

### **Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC)

#### Other Information

**Unknown Acute Toxicity** 

0.19% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name       | CAS No.   | Weight-% | Trade Secret |
|---------------------|-----------|----------|--------------|
| Sodium Metasilicate | 6834-92-0 | 30-60    | *            |
| Sodium Carbonate    | 497-19-8  | 15-40    | *            |
| 2-butoxyethanol     | 111-76-2  | 1-5      | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

### First aid measures

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns

occur, get medical attention.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Inhalation** If dust is formed or irritation occurs, leave area and do not return until dust has settled. Get

medical attention for any breathing difficulty.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If irritation persists, call a

physician.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No Information available.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Sweep up taking care not to raise dust. Pick up and transfer to properly labeled containers.

Residual material may be diluted with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

### **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name   | ACGIH TLV   | OSHA PEL                             | NIOSH IDLH                |
|-----------------|-------------|--------------------------------------|---------------------------|
| 2-butoxyethanol | TWA: 20 ppm | TWA: 50 ppm                          | IDLH: 700 ppm             |
| 111-76-2        |             | TWA: 240 mg/m <sup>3</sup>           | TWA: 5 ppm                |
|                 |             | (vacated) TWA: 25 ppm                | TWA: 24 mg/m <sup>3</sup> |
|                 |             | (vacated) TWA: 120 mg/m <sup>3</sup> | -                         |
|                 |             | (vacated) S*                         |                           |
|                 |             | S*                                   |                           |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear chemical resistant gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

Remarks

and wash it before reuse. Wear suitable gloves and eye/face protection.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Dust Appearance Yellow

Odor No Information available
Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 12.0 - 13.0

Specific Gravity
No Information available
Viscosity
No Information available

Melting point/freezing point

Boiling point / boiling range

No Information available
No Information available

Flash point

**Evaporation rate** No Information available No Information available Flammability (solid, gas) **Upper flammability limit:** No Information available No Information available Lower flammability limit: Vapor pressure No Information available No Information available Vapor density Water solubility No Information available **Partition Coefficient** No Information available

(n-octanol/water)

Autoignition temperature

No Information available

No Information available

No Information available

**Other Information** 

Density Lbs/Gal No Information available

VOC Content (%)

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods.

### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** The product causes burns of eyes, skin and mucous membranes.

**Ingestion** Causes burns. Harmful if swallowed.

| Chemical Name Oral LD50                            |                    | Dermal LD50        | Inhalation LC50                             |
|--|--------------------|--------------------|---|
| Sodium Metasilicate = 1153 mg/kg ( Rat ) 6834-92-0 |                    | -                  | -   |
| Sodium Carbonate<br>497-19-8                       | = 4090 mg/kg (Rat) | -                  | = 2300 mg/m³(Rat)2 h                        |
| 2-butoxyethanol = 470 mg/kg ( Rat ) 111-76-2       |                    | = 99 mg/kg(Rabbit) | = 486 ppm (Rat) 4 h = 450 ppm (<br>Rat) 4 h |

### Information on toxicological effects

**Symptoms** No Information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization No Information available.

Germ cell mutagenicity No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name   | ACGIH | IARC    | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| 2-butoxyethanol | A3    | Group 3 | -   | -    |
| 111-76-2        |       | •       |     |      |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
No Information available.
No Information available.

STOT - repeated exposure

No Information available. **Chronic toxicity** 

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are

common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects.

Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory Target organ effects

system, Skin.

No Information available. **Aspiration hazard** 

Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.19% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Combat

13.55% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name           | Algae/aquatic plants           | Fish                              | Crustacea                       |
|-------------------------|--------------------------------|-----------------------------------|---------------------------------|
| Sodium Metasilicate     | odium Metasilicate -           |                                   | 216: 96 h Daphnia magna mg/L    |
| 6834-92-0               |                                | LC50 semi-static 210: 96 h        | EC50                            |
|                         |                                | Brachydanio rerio mg/L LC50       |                                 |
| Sodium Carbonate        | 242: 120 h Nitzschia mg/L EC50 | 300: 96 h Lepomis macrochirus     | 265: 48 h Daphnia magna mg/L    |
| 497-19-8                |                                | mg/L LC50 static 310 - 1220: 96 h | EC50                            |
|                         |                                | Pimephales promelas mg/L LC50     |                                 |
|                         |                                | static                            |                                 |
| Sodium Tripolyphosphate | -                              | 1650: 48 h Leuciscus idus mg/L    | -                               |
| 7758-29-4               |                                | LC50                              |                                 |
| 2-butoxyethanol -       |                                | 1490: 96 h Lepomis macrochirus    | 1698 - 1940: 24 h Daphnia magna |
| 111-76-2                |                                | mg/L LC50 static 2950: 96 h       | mg/L EC50 1000: 48 h Daphnia    |
|                         |                                | Lepomis macrochirus mg/L LC50     | magna mg/L EC50                 |

### Persistence and degradability

No Information available.

### **Bioaccumulation**

No Information available.

| Chemical Name   | Partition coefficient |
|-----------------|-----------------------|
| 2-butoxyethanol | 0.81                  |
| 111-76-2        |                       |

No Information available. Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Do not reuse container. Contaminated packaging

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name California Hazardous Waste Status |           |
|---|-----------|
| Sodium Carbonate                                | Corrosive |
| 497-19-8  |           |

# 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

#### DOT

**DOT Proper Shipping name** UN3262, Corrosive solid, Basic, Inorganic, n.o.s. (contains sodium metasilicate,

anhydrous), 8, PG III

# 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Does not comply **IECSC** Complies Complies **KECL** Complies **PICCS** Complies **AICS** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

| Chemical Name             | New Jersey | Massachusetts | Pennsylvania |
|---------------------------|------------|---------------|--------------|
| Sodium Tripolyphosphate - |            | X             | X            |
| 7758-29-4                 |            |               |              |
| 2-butoxyethanol           | X          | X             | X            |
| 111-76-2                  |            |               |              |

#### U.S. EPA Label Information

# EPA Pesticide Registration Number Not Applicable

# **16. OTHER INFORMATION**

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Legend

N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known

Revision Date 24-Oct-2018

Revision Note No Information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**