

# SAFETY DATA SHEET

Issue Date 23-Apr-2013 Revision Date 23-Oct-2018 Version 3

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 27190 Product Name Stain Pro R

#### Other means of identification

# Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

### Details of the supplier of the safety data sheet

### Manufacturer / Manufactured For

Seatex, LLC 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300

Emergency telephone number

24 Hour Emergency Phone Number: 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

### Classification

Skin corrosion/irritation	Category 1	
Serious eye damage/eye irritation	Category 1	

# Label elements

### **Emergency Overview**

# Danger

### Hazard statements

Causes severe skin burns and eye damage



Appearance Clear, Colorless

Physical state Liquid

**Odor** Odorless

# **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

### **Precautionary Statements - Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizing agents and alkalis. Keep locked up and out of the reach of children.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC)

### Other Information

**Unknown Acute Toxicity** 

0% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Citric Acid	77-92-9	1-5	*
Oxalic Acid Dihydrate	6153-56-6	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns

occur, get medical attention.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub

affected area. Seek immediate medical attention/advice.

Inhalation If mists/vapors are formed or irritation occurs, leave area and do not return until

mists/vapors have dissipated. Seek immediate medical attention/advice. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical

attention immediately.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth

to an unconscious person. Seek immediate medical attention/advice.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms May be fatal if swallowed. Ingestion causes acute irritation and burns to the mucous

membranes of the mouth, trachea, esophagus and stomach. May cause respiratory

irritation. May cause irritation and/or burning to eyes and skin.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products Partial decomposition occurs at 150° C. Decomposition products include carbon monoxide

and formic acid, which are both toxic and flammable. Can react violently with strong

oxidizers.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

Do not allow into any sewer, on the ground or into any body of water. Should not be **Environmental precautions** 

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Dilute spill with sodium bicarbonate to pH greater than 6.0. Soak up with inert absorbent Methods for cleaning up

material. Pick up and transfer to properly labeled containers. After cleaning, flush away

traces with water.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Advice on safe handling

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep in properly labeled containers.

Strong alkalies. Strong oxidizing agents. Water reactive material, such as oleum. Incompatible materials

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Oxalic Acid Dihydrate	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup>
6153-56-6	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m³
	_	(vacated) STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>

Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

When using do not eat, drink or smoke. Avoid contact with skin, eyes or clothing. Wear **General Hygiene** 

> suitable gloves and eye/face protection. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

> > (butyl acetate = 1)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

Clear, Colorless **Appearance** 

Odor Odorless

No Information available **Odor threshold** 

Property Values Remarks • Method

pН <2

1.024 **Specific Gravity** 

No Information available **Viscosity** Remarks

Melting point/freezing point No Information available Boiling point / boiling range 176 / ° F Degrees

Flash point Will not burn

**Evaporation rate** < 1

Flammability (solid, gas) No Information available

**Upper flammability limit:** N/A Lower flammability limit: N/A Vapor pressure N/D Vapor density N/D Water solubility Complete

**Partition Coefficient** No Information available

(n-octanol/water)

**Autoignition temperature** No Information available **Decomposition temperature** No Information available

Other Information

Density Lbs/Gal No Information available

**VOC Content (%)** 0.03

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

Partial decomposition occurs at 150° C. Decomposition products include carbon monoxide and formic acid, which are both toxic and flammable. Can react violently with strong oxidizers.

#### **Conditions to avoid**

Elevated temperature.

#### **Incompatible materials**

Strong alkalies. Strong oxidizing agents. Water reactive material, such as oleum.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Formic acid. Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information**The primary effects and toxicity of this material are due to it corrosive nature.

**Inhalation** Causes burns.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** The product causes burns of eyes, skin and mucous membranes.

**Ingestion** Causes burns.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Citric Acid	= 3 g/kg (Rat) = 3000 mg/kg (Rat	-	-
77-92-9	)		
Nonylphenol Polyethylene Glycol	= 1310 mg/kg (Rat) = 2590 mg/kg	= 2 mL/kg ( Rabbit ) = 1780 μL/kg (	-
Ether	(Rat)	Rabbit )	
127087-87-0			
Oxalic Acid Dihydrate	= 375 mg/kg (Rat)	= 20000 mg/kg (Rat)	-
6153-56-6			

#### Information on toxicological effects

**Symptoms** No Information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Aspiration hazard No Information available.

# Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

4% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Citric Acid	=	1516: 96 h Lepomis macrochirus	120: 72 h Daphnia magna mg/L
77-92-9		mg/L LC50 static	EC50
Oxalic Acid Dihydrate	<del>-</del>	4000: 24 h Lepomis macrochirus	125 - 150: 48 h Daphnia magna
6153-56-6		mg/L LC50 static	mg/L EC50 Static

### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
Citric Acid 77-92-9	-1.72
Oxalic Acid Dihydrate 6153-56-6	-0.81

Other adverse effects No Information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

Chemical Name	California Hazardous Waste Status
Oxalic Acid Dihydrate	Toxic
6153-56-6	

# 14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

**DOT** Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

Complies **TSCA DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Complies **KECL** Does not comply **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Oxalic Acid Dihydrate	X	X	X
6153-56-6			

### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

# 16. OTHER INFORMATION

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

### Legend

N/A - Not Applicable
N/E - Not Established
N/D - Not Determined
N/K - Not Known

Issue Date23-Apr-2013Revision Date23-Oct-2018Revision NoteNew format

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.