

Issue Date 02-May-2013

Revision Date 02-Mar-2015

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 14481
Product Name LTS Ultra Floor Finish 25

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

Seatex, Ltd.
445 TX Hwy 36
Rosenberg, TX 77471
Phone: (800) 829-3020

Emergency telephone number

24 Hour Emergency Phone Number 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------|------------|
| Reproductive toxicity | Category 2 |
|-----------------------|------------|

Label elements

Emergency Overview

Warning

Hazard statements

Suspected of damaging fertility or the unborn child



Appearance White

Physical state Emulsion

Odor Pungent

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

Precautionary Statements - Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizing agents and alkalis. Keep locked up and out of the reach of children.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)**Other Information**

Unknown Acute Toxicity

0.02% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|----------------------------|----------|----------|--------------|
| 2-(2-methoxyethoxy)ethanol | 111-77-3 | 1-5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If irritation persists, see a physician.

Inhalation

Move to fresh air. If irritation persists, see a physician. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.

Ingestion

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If irritation persists, see a physician.

Most important symptoms and effects, both acute and delayed**Symptoms**

May cause irritation of gastrointestinal tract. Defatting of skin. May be irritating to skin and eyes. May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spill. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from oxidizing agents and alkalis. Keep locked up and out of reach of children.

Incompatible materials Alkali. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------------|------------------------------|--|---|
| Potassium Hydroxide 1310-58-3 | Ceiling: 2 mg/m ³ | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Dioxane 123-91-1 | TWA: 20 ppm S* | TWA: 100 ppm TWA: 360 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 90 mg/m ³ (vacated) S* S* | IDLH: 500 ppm Ceiling: 1 ppm 30 min Ceiling: 3.6 mg/m ³ 30 min |

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear chemical resistant gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene

Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Physical state | Emulsion |
| Appearance | White |
| Odor | Pungent |
| Odor threshold | No Information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--------------------------|--------------------------------|
| pH | 8.0 - 9.0 | |
| Specific Gravity | 1.0443 | |
| Viscosity | No Information available | |
| Melting point/freezing point | No Information available | |
| Boiling point / boiling range | 212 ° F | |
| Flash point | N/A | |
| Evaporation rate | N/A | |
| Flammability (solid, gas) | No Information available | |
| Upper flammability limit: | N/A | |
| Lower flammability limit: | N/A | |
| Vapor pressure | N/A | |
| Vapor density | N/A | |
| Water solubility | Complete | |
| Partition Coefficient (n-octanol/water) | No Information available | |
| Autoignition temperature | No Information available | |
| Decomposition temperature | No Information available | |

Other Information

| | |
|------------------------|--------------------------|
| Density Lbs/Gal | No Information available |
| VOC Content (%) | 4.47 |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

No special precautions beyond standard safe industrial practices.

Incompatible materials

Alkali. Strong oxidizing agents.

Hazardous Decomposition Products

Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|--------------------|
| Product Information | No data available |
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin Contact | No data available. |
| Ingestion | No data available. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|-------------------|---|-----------------|
| 2-(2-methoxyethoxy)ethanol 111-77-3 | = 4 mL/kg (Rat) | = 2500 µL/kg (Rabbit) = 650 mg/kg (Rabbit) | - |

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|---------------------------------|---------------------------|
| Sensitization | No Information available. |
| Germ cell mutagenicity | No Information available. |
| Carcinogenicity | No Information available. |
| Reproductive toxicity | No Information available. |
| STOT - single exposure | No Information available. |
| STOT - repeated exposure | No Information available. |
| Aspiration hazard | No Information available. |

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.02% of the mixture consists of ingredient(s) of unknown toxicity.
The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION**Ecotoxicity**

24.61% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|--|--|--|
| 2-(2-methoxyethoxy)ethanol 111-77-3 | 500: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 | 7500: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 7500: 96 h <i>Lepomis macrochirus</i> mg/L LC50 5741: 96 h <i>Pimephales promelas</i> mg/L LC50 | 500: 48 h <i>Daphnia magna</i> mg/L EC50 |
| Tributoxyethyl Phosphate 78-51-3 | - | 10.4 - 12.0: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through | - |
| Ethoxylated Secondary Alcohol 84133-50-6 | - | 3.2: 96 h <i>Pimephales promelas</i> mg/L LC50 | 3.2: 48 h water flea mg/L EC50 |
| Potassium Hydroxide 1310-58-3 | - | 80: 96 h <i>Gambusia affinis</i> mg/L LC50 static | - |
| Methyl Chloro Isothiazolinone 26172-55-4 | 0.11 - 0.16: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static 0.03 - 0.13: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static 0.31: 120 h <i>Anabaena flos-aquae</i> mg/L EC50 | 1.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static | 4.71: 48 h <i>Daphnia magna</i> mg/L EC50 0.12 - 0.3: 48 h <i>Daphnia magna</i> mg/L EC50 Flow through 0.71 - 0.99: 48 h <i>Daphnia magna</i> mg/L EC50 Static |
| Magnesium Chloride 7786-30-3 | 2200: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 | 1970 - 3880: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4210: 96 h <i>Gambusia affinis</i> mg/L LC50 static | 140: 48 h <i>Daphnia magna</i> mg/L EC50 Static 1400: 24 h <i>Daphnia magna</i> mg/L EC50 |

| | | | |
|---------------------|---|--|---------------------------------------|
| Dioxane 123-91-1 | - | 10000: 96 h Lepomis macrochirus mg/L LC50 static 10000: 96 h Lepomis macrochirus mg/L LC50 semi-static 9850: 96 h Pimephales promelas mg/L LC50 flow-through 10306 - 14742: 96 h Pimephales promelas mg/L LC50 static 9850: 96 h Pimephales promelas mg/L LC50 | 163: 48 h water flea mg/L EC50 Static |
|---------------------|---|--|---------------------------------------|

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

| Chemical Name | Partition coefficient |
|--|-----------------------|
| 2-(2-methoxyethoxy)ethanol 111-77-3 | -0.682 |

Other adverse effects

No Information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

U108

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------|------|-----------------------------------|------------------------|------------------------|
| Dioxane 123-91-1 | U108 | Included in waste stream: F039 | | U108 |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

Not regulated

15. REGULATORY INFORMATION**International Inventories**

| | |
|---------------|-----------------|
| TSCA | Complies |
| DSL/NDL | Complies |
| EINECS/ELINCS | Does not comply |
| ENCS | Does not comply |
| IECSC | Does not comply |
| KECL | Does not comply |
| PICCS | Does not comply |
| AICS | Does not comply |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name | SARA 313 - Threshold Values % |
|---------------------------------------|-------------------------------|
| 2-(2-methoxyethoxy)ethanol - 111-77-3 | 1.0 |
| Zinc Ammonium Chloride - 38714-47-5 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.

| Chemical Name | California Proposition 65 |
|--------------------|---------------------------|
| Dioxane - 123-91-1 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| 2-(2-methoxyethoxy)ethanol 111-77-3 | X | X | X |
| Zinc Ammonium Chloride 38714-47-5 | X | - | X |
| Magnesium Nitrate 10377-60-3 | X | X | X |
| Dioxane 123-91-1 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

Legend

N/A - Not Applicable

N/E - Not Established

N/D - Not Determined

N/K - Not Known

Issue Date

02-May-2013

Revision Date

02-Mar-2015

Revision Note

SDS sections updated 2 3 4 6 7 9 10 12 13 15

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet