

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	ECLIPSE – E 6000
PRODUCT CODE	16905
ISSUE DATE	06/28/13
SUPERCEDES	N/A
MANUFACTURER	Seatex, Ltd.
STREET ADDRESS	445 TX Hwy 36
CITY, STATE ZIP	Rosenberg, TX 77471
PHONE	(800) 829-3020

EMERGENCY TELEPHONE NUMBER

1-800-535-5053

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS No.	OSHA PEL/TLV	<u>EXPOSURE LIMITS</u>			OTHER LIMITS
			ACGIH TLV	STEL		
Nonylphenoethoxylate	9016-45-9	N/E	N/E	N/E		N/A

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	Causes eye and skin irritation. Harmful if swallowed. Harmful if inhalation exposure limits are exceeded.
---------------------------	-----------------------------------------------------------------------------------------------------------------

POTENTIAL HEALTH EFFECTS	
INGESTION	Irritation and damage to mucous membranes.
INHALATION	Irritation and damage to mucous membranes.
EYE CONTACT	Irritating and burning.
SKIN CONTACT	Irritating and burning.

SECTION 4 – FIRST AID MEASURES

INGESTION	Drink large quantities of water. DO NOT INDUCE VOMITING. See a physician immediately.
INHALATION	If irritation occurs, leave area until mists have dissipated. If irritation persists, see a physician.
EYE CONTACT	Flush with water for 15 minutes. See a physician immediately.
SKIN CONTACT	Flush with water. If irritation persists, see a physician.
NOTE TO PHYSICIAN	Treatment based on judgment of the physician in response to reactions of the patient.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT / METHOD	N/A	FLAMMABLE LIMITS	N/A
% VOLATILE	N/A		
EXTINGUISHING MEDIA	Dry chemical, alcohol foam, water mist.		
SPECIAL FIRE FIGHTING PROCEDURES	Firefighters should wear self-contained breathing apparatus as in all chemical fires.		
FIRE AND EXPLOSION HAZARDS	None.		

SECTION 6 – ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Stop leak.
--------------------	------------

SECTION 7 – HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store in a cool, dry place.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

HYGIENIC PRACTICES	Normal procedures for good hygiene. Observe label precautions. Use personal protection equipment.
ENGINEERING CONTROLS	Use general mechanical ventilation to remove vapors at the source. Eyewash station is recommended.

	RESPIRATOR	Not required.
X	GOGGLES / FACE SHIELD	Required: chemical splash goggles.
	APRON	Not required.
X	GLOVES	Required: rubber gloves.
	BOOTS	Not required.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Blue Liquid	BOILING POINT	212° F
ODOR	Citrus	VAPOR PRESSURE	N/A
PH	8.5	VAPOR DENSITY	N/A
SPECIFIC GRAVITY	1.060	EVAPORATION RATE (butyl acetate=1)	< 1
SOLUBILITY IN WATER	Complete		

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY		STABLE	X		UNSTABLE	
CONDITIONS TO AVOID	Elevated temperatures.					
INCOMPATIBILITY	Strong acids and oxidizing agents.					
HAZARDOUS PRODUCTS OF DECOMPOSITION	Oxides of carbon.					
POLYMERIZATION		WILL NOT OCCUR	X		MAY OCCUR	

SECTION 11 – TOXICOLOGICAL INFORMATION

CARCINOGENCITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910,Z

OTHER EFFECTS

ACUTE	Dehydration and defatting of skin. Irritation and burning to mucous membranes. Severe eye irritation.
CHRONIC	None known.
ORAL LD/50	Unknown.

SECTION 12 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	Dispose according to local, state, and federal regulations.
----------------	-------------------------------------------------------------

SECTION 13 – TRANSPORT INFORMATION

DOT CLASSIFICATION		HAZARDOUS			NOT HAZARDOUS	X
DESCRIPTION	N/A					

SECTION 14 – OTHER INFORMATION

HMIS® CLASSIFICATION

HEALTH	BLUE	1
FLAMMABILITY	RED	0
PHYSICAL HAZARD	ORANGE	0
PHYSICAL PROTECTION	WHITE	-

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Seatex, Ltd. in connection with the use of this information.