

Issue Date 16-Jan-2014

Revision Date 06-Feb-2015

Version 5

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code RD102
Product Name Citra Sol

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

Seatex, Ltd.
445 TX Hwy 36
Rosenberg, TX 77471
Phone: (800) 829-3020

Emergency telephone number

24 Hour Emergency Phone Number 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

| | |
|---------------------------|------------|
| Skin corrosion/irritation | Category 3 |
|---------------------------|------------|

Label elements

Emergency Overview

Warning

Hazard statements

Causes mild skin irritation

Appearance Clear, Orange

Physical state Liquid

Odor Orange

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation persists, see a physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry place away from strong oxidizing agents. Keep away from heat, sparks and open flame. Keep out of reach of children.

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0.5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------|----------|----------|--------------|
| 2-butoxyethanol | 111-76-2 | 1-5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If irritation persists, call a physician.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed**Symptoms**

Ingestion symptoms may include headache, nausea, stomach cramps and diarrhea. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause respiratory irritation. May cause redness and tearing of the eye. Defatting of skin. Prolonged or repeated contact may cause skin irritation or dermatitis.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal precautions**

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Stop leak if safe to do so. Dike area of spills to prevent spreading. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Keep out of the reach of children.

Incompatible materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------------|--|--|--|
| 2-butoxyethanol 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³ |
| Diethanolamine 111-42-2 | TWA: 1 mg/m ³ inhalable fraction and vapor S* | (vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³ | TWA: 3 ppm TWA: 15 mg/m ³ |
| Sulfuric Acid 7664-93-9 | TWA: 0.2 mg/m ³ thoracic fraction | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ TWA: 1 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear chemical resistant gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | |
|----------------|--------------------------|
| Physical state | Liquid |
| Appearance | Clear, Orange |
| Odor | Orange |
| Odor threshold | No Information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--|--------------------------|-------------------------|
| pH | 10.0 - 11.0 | |
| Specific Gravity | 1.018 | |
| Viscosity | No Information available | |
| Melting point/freezing point | No Information available | |
| Boiling point / boiling range | > 100 / ° F Degrees | |
| Flash point | > 202 ° F Degrees | Tag Closed Cup |
| Evaporation rate | < 1 | (butyl acetate = 1) |
| Flammability (solid, gas) | No Information available | |
| Upper flammability limit: | N/A | |
| Lower flammability limit: | N/A | |
| Vapor pressure | N/E | |
| Vapor density | >1 | |
| Water solubility | completely soluble | |
| Partition Coefficient (n-octanol/water) | No Information available | |
| Autoignition temperature | N/E | |
| Decomposition temperature | No Information available | |

Other Information

| | |
|-----------------|--------------------------|
| Density Lbs/Gal | No Information available |
| VOC Content (%) | 4.5 |

10. STABILITY AND REACTIVITY**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

| | |
|---------------------|--------------------|
| Product Information | No data available |
| Inhalation | No data available. |
| Eye contact | No data available. |

Skin Contact May cause irritation.

Ingestion No data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--|-------------------------|-------------------------------------|
| 2-butoxyethanol 111-76-2 | = 470 mg/kg (Rat) | = 99 mg/kg (Rabbit) | = 450 ppm (Rat) 4 h |
| Nonylphenol Polyethylene Glycol Ether 127087-87-0 | = 1310 mg/kg (Rat) | - | - |
| Trisodium Phosphate Anhydrous 7601-54-9 | > 2000 mg/kg (Rat) | > 300 mg/kg (Rabbit) | > 2.16 mg/L (Rat) 1 h |
| Linear Dodecyl Benzene Sulphonic Acid 27176-87-0 | = 1260 mg/kg (Rat) | - | - |
| Cocamide DEA 68603-42-9 | = 12400 µL/kg (Rat) | - | - |
| Sodium Benzeneoxybispropylenesulfonate 119345-04-9 | > 1000 mg/kg (Rat) | - | - |
| Tetrasodium EDTA 64-02-8 | = 10 g/kg (Rat) = 1658 mg/kg (Rat) | - | - |
| Diethanolamine 111-42-2 | = 0.62 mL/kg (Rat) = 620 µL/kg (Rat) | = 7640 µL/kg (Rabbit) | - |
| Sulfuric Acid 7664-93-9 | = 2140 mg/kg (Rat) | - | = 510 mg/m ³ (Rat) 2 h |
| Sodium Chloride 7647-14-5 | = 3 g/kg (Rat) | > 10 g/kg (Rabbit) | > 42 g/m ³ (Rat) 1 h |
| Trisodium nitrilotriacetate 5064-31-3 | = 920 mg/kg (Rat) | - | > 5 mg/L (Rat) 4 h |
| Ethylenediaminetriacetic Acid, trisodium salt (ED3Ana3) 19019-43-3 | = 1780 mg/kg (Rat) | - | - |

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation MAY CAUSE SKIN IRRITATION.

Sensitization No Information available.

Germ cell mutagenicity No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------------------|-------|---------|-----|------|
| 2-butoxyethanol 111-76-2 | A3 | Group 3 | - | - |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No Information available.

STOT - single exposure No Information available.

STOT - repeated exposure No Information available.

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

Target organ effects Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.5% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

4.28% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|---|---|---|
| 2-butoxyethanol 111-76-2 | - | 1490: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 2950: 96 h <i>Lepomis macrochirus</i> mg/L LC50 | 1000: 48 h <i>Daphnia magna</i> mg/L EC50 1698 - 1940: 24 h <i>Daphnia magna</i> mg/L EC50 |
| Linear Dodecyl Benzene Sulphonic Acid 27176-87-0 | 29: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 | 10.8: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 3.5 - 10: 96 h <i>Brachydanio rerio</i> mg/L LC50 static | 5.88: 48 h <i>Daphnia magna</i> mg/L EC50 |
| Cocamide DEA 68603-42-9 | - | 3.6: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static | 4.2: 24 h <i>Daphnia magna</i> mg/L EC50 |
| Tetrasodium EDTA 64-02-8 | 1.01: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 | 41: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 59.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static | 610: 24 h <i>Daphnia magna</i> mg/L EC50 |
| Diethanolamine 111-42-2 | 7.8: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 2.1 - 2.3: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 | 4460 - 4980: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 1200 - 1580: 96 h <i>Pimephales promelas</i> mg/L LC50 static 600 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static | 55: 48 h <i>Daphnia magna</i> mg/L EC50 |
| Sulfuric Acid 7664-93-9 | - | 500: 96 h <i>Brachydanio rerio</i> mg/L LC50 static | 29: 24 h <i>Daphnia magna</i> mg/L EC50 |
| Sodium Chloride 7647-14-5 | - | 5560 - 6080: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 12946: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 6020 - 7070: 96 h <i>Pimephales promelas</i> mg/L LC50 static 7050: 96 h <i>Pimephales promelas</i> mg/L LC50 semi-static 6420 - 6700: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4747 - 7824: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through | 1000: 48 h <i>Daphnia magna</i> mg/L EC50 340.7 - 469.2: 48 h <i>Daphnia magna</i> mg/L EC50 Static |
| Trisodium nitrilotriacetate 5064-31-3 | 560 - 1000: 96 h <i>Chlorella vulgaris</i> mg/L EC50 | 93 - 170: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 560 - 1000: 96 h <i>Oryzias latipes</i> mg/L LC50 semi-static 72 - 133: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 560 - 1000: 96 h <i>Poecilia reticulata</i> mg/L LC50 semi-static 560 - 1000: 96 h <i>Poecilia reticulata</i> mg/L LC50 114: 96 h <i>Pimephales promelas</i> mg/L LC50 175 - 225: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 252: 96 h <i>Lepomis macrochirus</i> mg/L LC50 470: 96 h <i>Pimephales promelas</i> mg/L LC50 static 560 - 1000: 96 h <i>Oryzias latipes</i> mg/L LC50 | 560 - 1000: 48 h <i>Daphnia magna</i> mg/L LC50 |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

| Chemical Name | Partition coefficient |
|-----------------------------|-----------------------|
| 2-butoxyethanol 111-76-2 | 0.81 |

Other adverse effects

No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-------------------------------|---|
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT Not regulated

15. REGULATORY INFORMATION**International Inventories**

| | |
|----------------------|-----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Does not comply |
| ENCS | Does not comply |
| IECSC | Complies |
| KECL | Does not comply |
| PICCS | Complies |
| AICS | Does not comply |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|--|----|
| Acute health hazard | No |
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.

| Chemical Name | California Proposition 65 |
|---------------------------|---------------------------|
| Cocamide DEA - 68603-42-9 | Carcinogen |
| Diethanolamine - 111-42-2 | Carcinogen |
| Sulfuric Acid - 7664-93-9 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| 2-butoxyethanol 111-76-2 | X | X | X |
| Trisodium Phosphate Anhydrous 7601-54-9 | X | X | X |
| Linear Dodecyl Benzene Sulphonic Acid 27176-87-0 | X | X | X |
| Sulfuric Acid 7664-93-9 | X | X | X |
| Sodium Sulfate 7757-82-6 | - | X | X |
| Trisodium nitrilotriacetate 5064-31-3 | - | X | - |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Legend

N/A - Not Applicable

N/E - Not Established

N/D - Not Determined

N/K - Not Known

Issue Date

16-Jan-2014

Revision Date

06-Feb-2015

Revision Note

SDS sections updated 2 4 6 11

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet